

Sécurité MariaDB

DB, bases de données, MariaDB, secure installation

Par défaut sous Debian, nous accédons à la console de la base de donnée à l'aide de la commande sudo. Afin de sécuriser l'accès à la base, nous allons définir un compte root dédié à la base, et effectuer quelques réglages.

Mysql secure installation

Nous lançons le script

```
sudo mysql_secure_installation
```

Nous définissons un mot de passe pour root, interdisons l'utilisateur anonyme, interdisons l'accès avec le compte root à distance, interdisons l'accès à la base de test.

```
NOTE: RUNNING ALL PARTS OF THIS SCRIPT IS RECOMMENDED FOR ALL MariaDB  
SERVERS IN PRODUCTION USE! PLEASE READ EACH STEP CAREFULLY!
```

```
In order to log into MariaDB to secure it, we'll need the current  
password for the root user. If you've just installed MariaDB, and  
you haven't set the root password yet, the password will be blank,  
so you should just press enter here.
```

```
Enter current password for root (enter for none):  
OK, successfully used password, moving on...
```

```
Setting the root password ensures that nobody can log into the MariaDB  
root user without the proper authorisation.
```

```
Set root password? [Y/n] y  
New password:  
Re-enter new password:  
Password updated successfully!  
Reloading privilege tables..  
... Success!
```

```
By default, a MariaDB installation has an anonymous user, allowing anyone  
to log into MariaDB without having to have a user account created for  
them. This is intended only for testing, and to make the installation  
go a bit smoother. You should remove them before moving into a  
production environment.
```

```
Remove anonymous users? [Y/n] y  
... Success!
```

Normally, root should only be allowed to connect from 'localhost'. This ensures that someone cannot guess at the root password from the network.

Disallow root login remotely? [Y/n] y
... Success!

By default, MariaDB comes with a database named 'test' that anyone can access. This is also intended only for testing, and should be removed before moving into a production environment.

Remove test database and access to it? [Y/n] y
- Dropping test database...
... Success!
- Removing privileges on test database...
... Success!

Reloading the privilege tables will ensure that all changes made so far will take effect immediately.

Reload privilege tables now? [Y/n] y
... Success!

Cleaning up...

All done! If you've completed all of the above steps, your MariaDB installation should now be secure.

Thanks for using MariaDB!

Désactivation Unix socket

Nous nous connectons en saisissant le mot de passe défini précédemment

```
sudo mysql -u root -p
```

Nous vérifions que l'accès par socket est configuré

```
USE mysql;  
SELECT plugin FROM user WHERE user='root';
```

Vous devriez avoir ceci en retour

```
+-----+  
| plugin |  
+-----+  
| unix_socket |  
+-----+  
1 row in set (0.00 sec)
```

Nous désactivons l'accès par socket, mettons à jour les privilèges, et sortons

```
UPDATE user SET plugin='' WHERE User='root';
FLUSH PRIVILEGES;
QUIT
```

Test final

Dorénavant, pour accéder à la console MariaDB

```
mysql -u root -p
```

From:
<https://wiki.grohub.org/> - **Grohub wiki**



Permanent link:
<https://wiki.grohub.org/information/db/mariadb/securite>

Last update: **02/01/2021 11:29**