

# NanoPI R5C



single board computer, NanoPI, R5C

## Pages

- [Construction image disque Debian](#)
- [Installation Debian](#)

## Fonctionnalités

### NanoPi R5C USB WiFi Support List

WiFi Chipset \ OS	Interface	Distro Support			AP Mode
		Android Android 12/TV	FriendlyWrt OpenWrt 21/22	Linux Ubuntu/Debian	
RTL8188CUS/8188EU 802.11n WLAN Adapter	USB	✗	Preinstalled driver	Yes	✗
RT2070 Wireless Adapter	USB	✗	Preinstalled driver	Yes	✗
RT2870/RT3070 Wireless Adapter	USB	✗	Preinstalled driver	Yes	✗
RTL8192CU Wireless Adapter	USB	✗	Preinstalled driver	Yes	✗
Ralink MT7601/MT7601U	USB	✗	Preinstalled driver	Yes	✗
5G USB WIFI RTL8821CU/RTL8811CU (VID_0BDA & PID_C811)	USB	Plug and play	Plug and play, Access Point mode by default	Yes	✓
5G USB WIFI RTL8812BU (VID_0BDA & PID_B812)	USB	✗	Plug and play, Access Point mode by default	Yes	✓
5G USB WIFI RTL8812AU (VID_0BDA & PID_8812)	USB	Plug and play	Plug and play, Access Point mode by default	Yes	✓
 5G USB WIFI MediaTek MT7662 (VID_0E8D & PID_7612)	USB	Plug and play	Plug and play, Access Point mode by default	Yes	✓
 5G M.2 WIFI&BT RTL8822CE (VID_0E8D & PID_7612)	M.2	Plug and play	Plug and play, Access Point mode by default	Yes	✓

※ ■ Modules marked in green mean they have been pre-installed and can work out of box.  
■ Modules marked in yellow mean only the drivers for these modules are pre-installed.  
 Users need to manually load the drivers and set the configurations and make the modules work.

## Liens

- [fiche produit sur la boutique en ligne](#)
- [Debian stock image](#)

From:  
<https://wiki.grohub.org/> - **Grohub wiki**

Permanent link:  
<https://wiki.grohub.org/single-board-computer/nanopi-r5c/home>

Last update: **06/12/2024 14:32**

